



### 4.0 DEVELOPMENT ALTERNATIVES

#### 4.1 Introduction and Purpose

This chapter identifies and evaluates development alternatives for ORS. The alternatives were guided by master plan goals and objectives defined in Chapter 1 and they address facility requirements identified in Chapter 3. The alternatives were also guided by the issues, needs and ideas presented by stakeholders in the master plan survey and public meetings, and by the Advisory Committee. Stakeholder views varied from those who wanted major expansion to those who mostly just wanted to maintain existing facilities. The master plan evaluated the alternatives using input from the Advisory Committee, other stakeholder meetings, the FAA, and airport staff through various methods, including individual meetings, email communications, and public open house meetings. The Draft Development Plan, made up of projects from each of the alternatives was similarly reviewed by these groups. The alternatives, evaluation process, and Draft and Final Development Plan are further described below.

Some alternatives were considered but were soon dismissed without extensive evaluation. Moving the airport to another location on the island was briefly discussed but was thought to be prohibitively expensive. Most of Orcas Island is characterized by heavily wooded, steep terrain. Very little of the topography is suitable for airport operations, and much of the flatter terrain is developed or covered by wetlands. Also, closing the airport was not considered to be a viable option. The remote location of the island and inclement weather conditions for much of the year make land-based aircraft operations a critical part of the transportation network for the island and the region.

As noted in **Chapter 3 Facility Requirements**, the Runway Design Code (RDC) for ORS is expected to become B-II-1A-5000. This RDC accounts for the approach speed, runway and taxiway dimensions, and visibility minimums of the mix of airplanes which account for most of the critical operations that have been going on at ORS for the past several years. Many of the dimensional requirements for the runway and

taxiway safety areas of a B-II airport are larger than those for a B-I airport, the current RDC for Orcas Island. These safety requirements were a priority in the consideration of development alternatives for the airport and include widening the runway from 60 feet to 75 feet, increasing the separation distance between the runway and the parallel taxiway, increasing the dimensions of the Runway Safety Area (RSA) and Runway Object Free Area (ROFA) on each end of the runway, and evaluating runway length. Considerable attention was also given to ways in which the conflicts between the Runway Protection Zones (RPZs) and the roads within them could be reduced or eliminated. Mount Baker Road crosses the RPZ for Runway 34, and Brandt's Landing Lane crosses the RPZ for Runway 16. Competing interests such as the presence of wetlands and private property ownership adjacent to the airport were also considered.

#### 4.2 Alternatives Overview & Identification

Runway/Taxiway Alternatives 1 – 4 were developed to show a range in the level of effort and cost of development for modifications to the runway, parallel taxiway, connector taxiways, and affected airport facilities. Alternative 1 has the least development and cost, and Alternative 4 has the most. The alternatives are described below and shown in **Figures 4.1 to 4.4**. Projects addressing the issues, needs, and facility requirements were included in each of the alternatives based on which alternative best matched the type of project.

Where major improvements have been suggested in an alternative, all the components of those improvements were proposed to meet safety standards for existing aircraft and current operations at the airport. For example, clearing obstacles from the Runway Safety Area requires relocating the airport terminal and some hangar facilities. Most of the planned improvements would be made on existing airport property to improve the safety of operations that have been going on for several years. No plans for development to increase the number of operations or the size of aircraft conducting them are anticipated. **Table 4.1** includes a comparison of the components of the alternatives.



Table 4.1: Alternatives Evaluation

Runway / Taxiway Alternative Designation	Alternative Name	Alternative Components							
		Airside			Landside				
		Runways	Taxiways	Misc.	Aprons & Lease Lots	Access & Parking	Maintenance Facilities	Fencing & Security	Property & Acquisition
1	No-Build	No change to Existing	No change to Existing	Requires MOS for runway-to-parallel taxiway separation distance, taxiway safety area width, taxiway object free area width, etc.	No change to Existing	No change to Existing	No change to Existing	No change to Existing	No change to Existing
2	Runway Widening and 156-foot Runway/Taxiway Separation	Widen runway to 75'	Increase runway - taxiway separation to 156'	Requires MOS for runway-taxiway separation distance	New lease lots, additional hangar space, tiedowns, and ground access will be provided at the Southeast and West Development Areas on existing airport property. The Southeast Development Area will also provide space for cargo facilities, parking, and a new terminal building.	Close Brandts Landing Lane. Realign Mt. Baker Road within RW 34 RPZ as property becomes available. Construct additional internal access roads and vehicle parking to accommodate lease lot development. Facilitate pedestrian access to Eastsound.	New Maintenance and Operations facility in the Southeast Development Area	Relocate wildlife fence in the future RSA for Runway 16	Acquire land from Brandt's Landing Marina
3	Runway Widening, Displaced Thresholds, and 240-foot Runway/Taxiway Separation	Widen the runway to 75 feet and add displaced thresholds to each runway to increase the runway length to 3,400 feet	Increase runway - taxiway separation to 240'	No MOS required	New lease lots, additional hangar space, tiedowns, and ground access will be provided at the Southeast and West Development Areas on existing airport property. The Southeast Development Area will also provide space for cargo facilities, parking, and a new terminal building.	Close Brandts Landing Lane. Realign Mt. Baker Road within RW 34 RPZ as property becomes available. Construct additional internal access roads and vehicle parking to accommodate lease lot development. Facilitate pedestrian access to Eastsound.	New Maintenance and Operations facility in the Southeast Development Area	Relocate wildlife fence in the future RSA for Runway 16	Acquire land from Brandt's Landing Marina, a portion of the Parnell parcel, and a portion of the Larson parcel along the east side of the north end of the runway.
4	Runway Realignment, Displaced Thresholds, and 240-foot Runway/Taxiway Separation	Realign and widen the runway to 75 feet and add displaced thresholds to each runway to increase the runway length to 3,400 feet.	Increase runway - taxiway separation to 240'	No MOS required. Aligns approach and departure operations over the community	New lease lots, additional hangar space, tiedowns, and ground access will be provided at the Southeast and West Development Areas on existing airport property. The Southeast Development Area will also provide space for cargo facilities, parking, and a new terminal building.	Close Brandts Landing Lane. Realign Mt. Baker Road within RW 34 RPZ as property becomes available. Construct additional internal access roads and vehicle parking to accommodate lease lot development. Facilitate pedestrian access to Eastsound.	New Maintenance and Operations facility in the Southeast Development Area	Relocate wildlife fence in the future RSA for Runway 16	Acquire land from Brandt's Landing Marina, a portion of the Parnell parcel, and a portion of the Larson parcel along the east side of the north end of the runway.



## Chapter 4 (Part 1) DEVELOPMENT ALTERNATIVES

The alternatives included:

- **Alternative 1: No-Build** – Minor maintenance and management of the existing runway and taxiways with minor use of capital projects.
- **Alternative 2: Runway Widening and 156-foot Runway/Taxiway Separation** – Widen the runway from 60 feet to 75 feet, relocate the parallel taxiway to increase separation from the runway to 156 feet.
- **Alternative 3: Runway Widening, Displaced Thresholds, and 240-foot Runway/Taxiway Separation** – Widen the runway from 60 feet to 75 feet, add displaced thresholds to increase runway length to 3,400 feet, and relocate the parallel taxiway to increase separation from the runway to 240 feet.
- **Alternative 4: Runway Realignment, Displaced Thresholds, and 240-foot Runway/Taxiway Separation** – Widen and rotate the runway slightly, add displaced thresholds to increase runway length to 3,400 feet, and relocate the parallel taxiway to increase separation from the runway to 240 feet.

Alternatives were also developed for the southeast area of the airfield. Southeast Development Alternatives 1 and 2 show different configurations for the terminal building, cargo hangar, based-aircraft hangars, parking areas, etc. These layouts are shown in **Figures 4.5 and 4.6**. In these alternatives, storage facilities for maintenance equipment will be provided either as part of the terminal building or in a stand-alone maintenance building.

The airport owns a considerable amount of property on the west side of the runway which is currently not in use. A potential layout for the construction of new hangars in this West Development Area is shown in **Figure 4.7**. In the winter aircraft that remain outside overnight can be subject to the accumulation of ice, snow, and frost. In the summer aircraft interiors can become hot enough to damage sensitive avionics and can become very uncomfortable for passengers. A structure that can be used as a deice facility in the winter and a shade structure in the summer is planned. Potential locations for it are the Southeast Development Area and the West Development Area, and these locations are shown in the figures.

At the north end of the runway Brandt's Landing Lane encroaches into the Runway Protection Zone (RPZ) for Runway 16. Roads are considered an incompatible land use for the property within an RPZ, and **Figure 4.8** shows the dimensions and location of the Runway 16 RPZ if the road were removed. It also shows a possible aircraft holding area at Taxiway A4 near the north end of the runway. All alternatives with the exception of Alternative 1: No-Build include the acquisition of land on the north end of the runway and closure of Brandt's Landing Lane to eliminate the incompatible land use within the RPZ.

Just off the south end of the runway Mount Baker Road encroaches into the RPZ for Runway 34. **Figure 4.9** illustrates different options for relocating Mount Baker Road to eliminate the conflict.

### 4.3 Alternatives Evaluation

Airport stakeholders and the project team evaluated alternatives and projects using several methods. All project ratings by stakeholders were completed without consideration of funding limitations, per FAA guidance. Detailed results of these ratings can be found in **Appendix X**.

- **Advisory Committee** - Committee members rated projects within each alternative high-, medium- or low-priority using colored dots.
- **Public Open House Meetings** – A public open house meeting was held on June 5, 2018 to present the draft alternatives. Those in attendance at this meeting were given opportunity to rate the priority of the alternative projects. Another public open house meeting was held on September 19, 2018 to present the draft preferred development plan. The master planning team answered questions and solicited comments from participants regarding the merits and challenges of the alternatives.
- **Email Comments** – Approximately 300 email comments were submitted as of October 8, 2018 by residents, members of area pilot associations, and many other people with an interest in Orcas Island.



## Chapter 4 (Part 1) DEVELOPMENT ALTERNATIVES

### 4.3.1 Alternative 1: No-Build

Alternative 1, shown in **Figure 4.1**, continues management and minor maintenance of existing facilities with existing staff and operating funds, but with minimal investment in capital projects. It is very likely that federal funding would no longer be available with this alternative, since ORS would not be meeting grant assurances. ORS could also need to repay grant monies received in the past. An overwhelming number of stakeholders prefer this option, believing that any improvements would be synonymous with airport expansion and enlargement, more noise, increased traffic, and more people placing greater demands on overstressed island resources.

The obvious benefit of the No-Build option is the savings in capital investment. Conditions are never static, however, and regular maintenance of facilities is required to sustain a satisfactory level of serviceability. Regardless of how diligent maintenance efforts are, the infrastructure will eventually degrade to the point at which continued maintenance is no longer cost-effective, and capital replacement is required, or facilities will become unusable.

As the demand for the air transportation of passengers and cargo increased, aircraft operators increased the number of their flights to meet those demands. They also began using aircraft that could more economically meet the new mission requirements. Notable among the new aircraft put into service was the Cessna 208 Caravan—a single-engine turboprop—which replaced piston-engine twins previously in use. The Cessna Caravan is an Aircraft Design Group II (ADG-II) airplane. The numerous operations of Cessna Caravans at ORS are the primary reason for change of the Runway Design Code to B-II.

The safety area dimensions of ADG-II are larger than for ADG-I, and major improvements at ORS would be needed to meet the requirements of the new standards. The FAA places a significant emphasis on operational safety at airports, and continued FAA funding for ORS is contingent on efforts to meet the safety requirements for the standards that apply to the way the airport is being used. As an interim measure some safety issues may be temporarily mitigated by implementing Modifications of Airport Design Standards (MOS) (Ref. FAA Order 5300.1G Modifications to Agency Airport Design,

Construction, and Equipment Standards). An MOS can be requested based on an analysis of operations at a specific airport. However, The FAA will not grant an MOS for some conditions such as non-standard RSA dimensions, non-standard Obstacle Free Zone (OFZ) surfaces, or impermissible land uses within RPZ limits. Also, the airport must certify that modifications to standards will provide an acceptable level of safety. Several modifications to standards would be required to address the numerous non-standard conditions at ORS (runway-to-parallel taxiway separation distance, taxiway safety area width, taxiway object free area width, to name a few). Requests for MOS for these non-standard conditions are not likely to receive FAA approval because the more safety-critical items would remain unaddressed.


### 4.3.2 Alternative 2: Runway Widening and 156-foot Runway/Taxiway Separation

This alternative (**Figure 4.2**) includes widening the runway from 60 feet to 75 feet and relocating the parallel taxiway to increase its separation from the runway to 156 feet. It would include acquisition of land on the north end of the runway and closure of Brandt's Landing Lane to eliminate the incompatible land use within the RPZ.

One of the most common ADG-II airplanes operating at ORS is the Cessna Caravan, with a wingspan of 52'-1". A runway-taxiway separation distance of 156 feet provides the same wingtip clearance for most of the largest ADG-II aircraft currently operating at ORS as they would have if they were ADG-I airplanes. Implementing this alternative, however, would require the acquisition of land from Brandt's Landing Marina along the east side of the north end of the runway. It would also require an MOS from the FAA, because the runway-taxiway separation distance would still be less than what the standards require. Approval of an MOS is not guaranteed and is not permanent. If granted, the MOS is subject to FAA review and renewal at least every five years, and the FAA will expect continued progress toward full compliance with safety standards as a condition of subsequent approval.

New lease lots, additional hangar space, tiedowns, and ground access will be provided at the Southeast and West Development Areas on existing airport property. The Southeast Development Area will also provide space for


Figure 4.1. Runway/Taxiway Alternative 1 - No Build



This alternative includes the following elements:

- Runway Dimensions = 2,901' X 60'
- Existing runway and taxiway configuration.
- Does not meet FAA standard for runway width.
- Does not meet FAA standard for runway-parallel taxiway separation

Figure 4.2. Runway/Taxiway Alternative 2 - Widening and 156' Runway/Taxiway Separation





cargo facilities, parking, and a new terminal building. The current facilities are insufficient for existing needs. The new terminal will accommodate air passenger requirements, pilot's facilities, and other facilities which are currently inadequate. Utility service (water, waste water, electric power, telecommunications, etc.) will need to be extended to these development areas.

### 4.3.3 Alternative 3: Runway Widening, Displaced Thresholds, and 240-foot Runway/Taxiway Separation

This alternative (Figure 4.3) includes widening the runway from 60 feet to 75 feet, adding displaced thresholds to each end of the runway to increase the runway length to 3,400 feet, and relocating the parallel taxiway to increase its separation from the runway to 240 feet. It would also include acquisition of land on the north end of the runway and closure of Brandt's Landing Lane to eliminate the incompatible land use within the RPZ. This option meets all safety standards and provides a runway length that serves 100 percent of the fleet mix, which is justified by the remote location of Orcas Island.

A runway-taxiway separation distance of 240 feet provides the required wingtip clearance for all ADG-II aircraft. However, it would require the acquisition of land from the Brandt's Landing Marina parcel, a portion of the Parnell parcel, and a portion of the Larson parcel along the east side of the north end of the runway. It would also conflict with the terminal building, two hangars, the fuel area, and numerous aircraft tie-downs on the apron. These facilities would be relocated to the Southeast Development Area with sufficient space to accommodate them. (See Section 4.3.5 for further discussion.)

Additional turf tie-downs and hangars would be provided in the West Development Area. As with Alternative 2 utility service (water, waste water, electric power, telecommunications, etc.) will need to be extended to these development areas. This alternative would not require an MOS.

### 4.3.4 Alternative 4: Runway Realignment, Displaced Thresholds, and 240-foot Runway/Taxiway Separation

This alternative (Figure 4.4) involves widening and rotating the runway slightly and adding displaced thresholds to each end of it to increase the runway length to 3,400 feet. The parallel taxiway would also be relocated to increase its separation from the runway to 240 feet. It would

also include acquisition of land on the north end of the runway and closure of Brandt's Landing Lane to eliminate the incompatible land use within the RPZ. This option meets all safety standards and provides a runway length that serves 100 percent of the fleet mix. It lessens the impact of airport improvements on Brandt's Landing Marina by moving the north runway end away from the marina at the expense of moving it farther into the wetlands to the west. On the south end, it moves the runway farther away from the structures on the west side but aligns approach and departure operations over the community. It would still require the acquisition of land from the Brandt's Landing Marina parcel, the Parnell parcel, and the Larson parcel along the east side of the north end of the runway. As with Alternative 3, it would also require the relocation of the terminal building, two hangars, the fuel area, and aircraft tie-downs on the apron. New lease lots, hangar space, tiedowns, and ground access are provided on the Southeast and West Development Areas on existing airport property with sufficient space to accommodate their needs. As with the other alternatives, utility service (water, waste water, electric power, telecommunications, etc.) will need to be extended to these development areas. This alternative would not require an MOS.

### 4.3.5 Southeast Development Area

Relocating the parallel taxiway to the east would conflict with airport facilities on the east side of the airfield because they would come within the new Taxiway Object Free Area (TOFA). The terminal building, two hangars, the fuel facility, the helicopter landing area, and aircraft tie-downs in the turf and paved areas of the airfield would all be impacted. These facilities would be relocated to the Southeast Development Area on land currently owned by the airport. Figures 4.5 and 4.6 show two possible configurations for the facilities in this area. The new fuel area will be an above-ground system with capacity for 100LL and a second tank for non-ethanol unleaded fuel.

One of the impacted hangars is currently used by Aeronautical Services, Inc. for cargo handling. Relocating this facility to the Southeast Development Area has the benefit of putting it closer to customers, who sometimes have short deadlines for package delivery, and who would benefit by having easier access from their locations in the community to the shipping center. The current facilities for cargo handling are inadequate, and the new facilities will accommodate existing and expected needs.

Figure 4.3. Runway/Taxiway Alternative 3 - Widening, Displaced Thresholds, & 240' Runway-Taxiway Separation






Figure 4.4. Runway/Taxiway Alternative 4 - Runway Realignment, Displaced Thresholds, & 240' Runway-Taxiway Separation




Figure 4.5. SE Development Alternative 1



Figure 4.6. SE Development Alternative 2





## Chapter 4 (Part 1) DEVELOPMENT ALTERNATIVES

A new terminal building, with improvements to accommodate passenger facilities, airport management operations, and pilot services would be located closer to Mt. Baker Road for better access from the land side and the air side of the building. Parking conveniently near the terminal would be provided. As previously mentioned, utility services such as water, waste water, gas, electric power, and telecommunications will need to be extended to this area.

The Southeast Development Area would also include a deicing facility/sunshade structure, a helipad, and tie-downs for transient aircraft. Taxilanes would allow for simultaneous operations of passenger aircraft at the terminal building and cargo aircraft moving through the area. A long-term parking area, sufficient to address the inadequacy of current parking facilities, would be located on the east side of the Southeast Development Area with a large landscaping buffer between it and North Beach Road. These facilities will be connected to the existing trail system providing easy access to the community of Eastsound.

After review by the public and the Port it is understood that the SE Development Alternative 2 would be significantly opposed and is currently not accommodated on the eastern portion by the current zoning standards for the intended proposed development.

### 4.3.6 West Development Area

New lease lots, hangar space, turf tiedowns, and ground access would be provided on existing airport property west of the runway. The deicing facility/sunshade structure could possibly be located in this area, but the Southeast Development Area is the preferred location for it. Utility service would need to be extended to this area. Coordination with San Juan County would be required to improve Seaview Street for improved vehicle and pedestrian access. In addition, the functional classification of Seaview Street may need to be upgraded in accordance with the WSDOT Guidelines for Amending Functional Classification in Washington State. **Figure 4.7** shows a possible configuration for this area.

### 4.3.7 Brandt's Landing Lane and Nina Lane

The purpose of a Runway Protection Zone (RPZ) is to protect people and property on the ground. The presence of Brandt's Landing Lane and Nina Lane in the RPZ for Runway 16 is considered an incompatible land use as it presents a conflict

between vehicles on the ground and arriving and departing aircraft. As shown in **Figure 4.8** land on the north end of the runway would be acquired and these two roads would be closed to eliminate the safety hazard presented by the conflict. **Figure 4.8** also shows a B-II runway pad.

### 4.3.8 Mt. Baker Road

As with Brandt's Landing Lane and Nina Lane in the Runway 16 RPZ, the presence of Mt. Baker Road in the RPZ for Runway 34 is considered an incompatible land use as it presents a conflict between aircraft and ground vehicles that compromises safety standards. FAA guidance requires a continual effort to remove or mitigate the risk of existing incompatible land uses in an RPZ to the extent practical.

Mt. Baker Road is part of a major roadway that connects the east and west sides of Orcas Island and is a designated truck route around the community of Eastsound. The segment of Mt. Baker Road adjacent to the airport is one of the most heavily traveled sections of road on the island. In evaluating options to remove or mitigate the conflict between Mt. Baker Road and the RPZ, considerable thought was given to maintaining or increasing the traffic volume capacity and safety of the road while minimizing impacts to connections with existing streets, adjacent landowners, wetlands in the area, and other competing interests. Ideas briefly considered and discarded were: shortening the runway or moving it farther north to shift all of the RPZ to the north side of Mt. Baker Road, putting Mt. Baker Road in a tunnel under the RPZ, implementing Declared Distances to establish approach and departure RPZs, installation of an Engineered Materials Arresting System (EMAS) to shorten the required Runway Safety Area (RSA), and other methods of mitigating the conflict. Some options for relocating Mt. Baker Road are shown in **Figure 4.9**. Although multiple alignments for the road are shown as options, only one alignment will be constructed.

### 4.3.9 Environmental Review of Alternatives

Environmental impacts of each alternative was considered and reviewed prior to determining the preferred alternative. Consideration was given to the baseline condition, potential impacts on the environment, environmental studies likely needed before the project could proceed and permit requirements. See **Table 4.2** for full analysis and review.

Figure 4.7. Westside Development




Figure 4.8. Runway 16 RPZ





Figure 4.9. Runway 34 RPZ Alternatives



Chapter 4 (Part 1)  
**DEVELOPMENT ALTERNATIVES**



**Table 4.2: Potential Environmental Impacts of Proposed Projects**

Proposed Project / Environmental Conditions	Baseline Condition	Potential Impacts	Likely Environmental Studies	Permit Requirements
<b>Runway Alternative 1: No Action</b>	WRI 2015 identified two linear wetlands between runway and parallel taxiway, and two linear wetlands immediately west of runway in southern half of airport.	None	None	None
<b>Runway Alternative 2: Widen runway to 75'</b>	Same as described under Runway Alternative 1: No Action	Possible fill or potential construction-related impacts to wetlands during runway widening; increase impervious surface leading to increased run-off and potential water quality impacts	Wetland boundary verification; wetland impact mitigation plan: stormwater analysis	HPA; Clean Water Act Sections 401 and 404; San Juan County Critical Areas
<b>Runway Alternative 3: Widen runway to 75'; displace thresholds for more useable runway length</b>	Same as described under Runway Alternative 1: No Action	Possible fill or potential construction-related impacts to wetlands during runway widening; increase impervious surface leading to increased run-off and potential water quality impacts	Wetland boundary verification; wetland impact mitigation plan: stormwater analysis	HPA; Clean Water Act Sections 401 and 404; San Juan County Critical Areas
<b>Runway Alternative 4: Widen runway to 75'; displace thresholds for more useable runway length; rotate runway 0.82 degrees to the west</b>	Same as described under Runway Alternative 1: No Action	Possible fill or potential construction-related impacts to wetlands during runway widening; increase impervious surface leading to increased run-off and potential water quality impacts	Wetland boundary verification; wetland impact mitigation plan: stormwater analysis	HPA; Clean Water Act Sections 401 and 404; San Juan County Critical Areas
<b>Taxiway Alternative 1: No Change</b>	WRI identified a Type Np stream east of taxiway at north end of airport; San Juan County CAO mapping identified potential non-tidal wetlands; Brandt's Landing Marina's excavated boat slip channel is located off-site and east of the taxiway; the excavated channel is identified as a deep water habitat, a water of the US, a water of the State, a Shoreline of the State, and likely a critical area under San Juan County Critical Areas Ordinance.	None	None	None
<b>Taxiway Alternative 2: relocate taxiway east 156' from runway centerline</b>	Same as described under axiway Alternative 1: No Change			
<b>Taxiway Alternative 3: Relocate taxiway east 240' from runway centerline</b>	Same as described under axiway Alternative 1: No Change	Likely relocation or piping of stream; filling of excavated boat slip channel; increased impervious surface leading to increased run-off and potential water quality impacts.	OHWM determination; mitigation plan; stormwater analysis	HPA; Clean Water Act Sections 401 and 404; San Juan County Critical Areas; Shoreline Permit; likely a BA due to federally-listed species (bulltrout, dolly varden, and orca in Puget Sound)
<b>Taxiway Alternative 4: Relocate taxiway east 240' from runway centerline (based on realigned runway)</b>	Same as described under Taxiway Alternative 1: No Change			
<b>SE Development Alt 1: Hangars/Terminal Tie-Downs with auto parking along N. Beach Road</b>	West portion of this area is paved. San Juan County CAO identifies potential non-tidal wetlands; field studies have not identified wetlands in this area.	Large area of new impervious surface leading to increased run-off and potential water quality impacts	Wetland investigation to verify no wetland impacts; stormwater analysis	
<b>SE Development Alternative 2: Hangars/Terminal Tie-Downs with auto parking along Mt Baker Road</b>	Same as described under SE Development Alternative 1: No Change	Large area of new impervious surface leading to increased run-off and potential water quality impacts	Wetland investigation to verify no wetland impacts; stormwater analysis	
<b>Westside Development Alternative 1: No Action</b>	Extensive areas of wetland mapped by NWI and San Juan County CAO; WRI 2015 identified wetlands north and east of the area.	None	None	None
<b>Westside Development Alt 2: New hangars</b>	Same as described under Westside Development Alt 1: No Change	Large area of new impervious surface--water quality; potential impact to wetlands delineated over 5 years ago; increase impervious surface (more run-off = water quality consideration); mitigation site located here--has implementation of mitigation begun here?	Updated wetland delineation; mitigation plan if impacts are anticipated; stormwater analysis.	HPA; Clean Water Act Sections 401 and 404; San Juan County Critical Areas
<b>16 RPZ Alt 1: No Action</b>	This is currently a paved surface.	None	None	None
<b>16 RPZ Alt 2: Displace threshold</b>	This is currently a paved surface.	No anticipated impacts to aquatic resources	No environmental studies anticipated	No environmental permits anticipated
<b>34 RPZ Alt 1: No Action</b>	WRI 2015 identified extensive wetlands and a type Np stream south of Mt Baker Road; tree removal and conversion of forested wetland to shrub-dominated wetland has been implemented.	None	None	None
<b>Property Acquisition SW of current airport property north of Mt Baker Road</b>	Extensive areas of wetland mapped by NWI and San Juan County CAO.	Tree removal from Part 77 surface	None anticipated	San Juan County clearing permit

**LEGEND:** Preferred Alternative